

Komunica Power Accessories

---

# Battery Catalogue



Komunica Power  
Battery Catalogue  
2022



# Discover Komunica selection of batteries

Top Quality  
The Best Service



# Table of contents

---

<b>BATTERIES:</b>	
· Motorola Compatibility	04
· Icom Compatibility	10
· Kenwood Compatibility	14
· Hytera Compatibility	18
· Vertex / Yaesu Compatibility	20
· Other Brands	24
<b>COMPATIBLE CHARGERS</b>	28
<b>CRANE BATTERIES</b>	32
<b>CLIPS WALKIE-TALKIES</b>	34
<b>BATTERY HOLDERS</b>	35

---



# Motorola Compatibility

---



**AP-300-H** / HNN9628

*GP300 / 88 / LTS2000 / GTX*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 14.08 \* 5.88 \* 2.30

**AP-318-Li** / HNN9013

*GP-140 / 240 / 280 / 280 / 320 / 330 / 338 / 340 / 360 / 380 / 580 / 640 PRO SERIES HT-750 / 1250 / 1550 / MTX450 / 900 / 960 / PRO5150 / 5550 / 7150 / 9150*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 12.37 \* 5.95 \* 1.93

**AP-328-H** / HNN9008

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.37 \* 5.95 \* 1.93

**AP-2000-H** / NTN7144

*GP-900 / 1200 / HT-1000 / MT-2000 / MTX-2000 / 8000 / 9000 / 838 / MTS-2000 / MTZ-2000*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 15.40 \* 5.95 \* 2.39

**AP-2000-Li** / NTN7144

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 15.40 \* 5.95 \* 2.39

**AP-4002-H** / HKNN4002A

*TALKABOUT / T-82 / T-82-Extreme / T-62 / T-5320 / 5400 / 5420 / 5522 / 5600 / 5620 / 5700 / 5710 / 5720 / 5800 / 5820*

VOLTAGE: 3.6V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 5.00 \* 4.28 \* 1.44



**AP-4003-H / IXNN4002A**

*TLRK-T50 / T60 / T70 / T80*

VOLTAGE: 4.8V  
 CAPACITY: 700mAh  
 TYPE: Ni-Mh  
 DIMENSION: 4.60 \* 4.20 \* 1.16



**AP-4023-Li / JMNN4023R**

*PROS150 ELITE / GL-2000 / GP-328PLUS /  
 344 / 388 / 688 / EX-500/600*

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.15 \* 6.06 \* 2.10



**AP-4047-H / PMNN4047**

*MTP-700 / MTP-750*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 10.2 \* 5.8 \* 2.15

**AP-4065-H / PMNN4065**

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 13.00 \* 5.44 \* 2.33

**AP-4066-Li / PMNN4066**

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 13.00 \* 5.44 \* 2.33

*MOTOTRBO / XPR / 6300 / 6350 / 6500 / 6550  
 MOTOTRBO DP-3600 / 3601 / 3400 / 3401  
 P-6000 / 6620 / 8200 / 8260 / 8268 / DR3000 /  
 DGP4150 / DGP4150+ / DGP6150 / DGP6150+*



## Intelligent Battery

AP-4491-LI-SMART\*



### AP-4491-LI-SMART (Intelligent)

VOLTAGE: 7.4V

CAPACITY: 2050mAh

TYPE: Li-Pol

DIMENSION: 11.40 \* 5.56 \* 2.43

### AP-4412-H / PMNN4412

VOLTAGE: 7.2V

CAPACITY: 1400mAh

TYPE: Ni-Mh

DIMENSION: 11.40 \* 5.56 \* 2.43

### AP-4416-Li / PMNN4416

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 11.40 \* 5.52 \* 1.75

DP-4000 / 4400 / 4401 / 04600 / 4601 / 4800  
/ 4801 / 6401 / XPR3000 / 3300 / 3500 / 7000  
/ 7350 / 7550

DP-2400 / 2600



### AP-4851-H / NNTN4851

CP-040 / 140 / 150 / 200 / 340 / 380 / EP-450 / GP3188 / 3688 / PR400  
/ DP-1400

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.12 \* 6.00 \* 2.11



### AP-4970-Li / NNTN4970

CP-040 / CP140 / CP160 / CP180 / CP200d / DP1400 / PR400 radios

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 12.10 \* 6.03 \* 1.86

**AP-4497-Li / NNTN4497**

*CP-040 / 110 / 140 / 150 / 200 / 340 / 380 /  
EP-450 / GP3188 / 3688 / PR400 / DP-1400  
/ RDU-220*

VOLTAGE: 7.4V

CAPACITY: 2600mAh

TYPE: Li-Ion

DIMENSION: 12.10 \* 6.02 \* 2.40



**AP-5705-Li / NNTN4655B**

*MTH-650 / 800 / DTR-510 / 550 / 610 / 620  
/ 650*

VOLTAGE: 3.7V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 5.64 \* 3.53 \* 1.12



**AP-6305-Li / RLN-6305**

*RDX CPT10 / RDU4100 / RDU4160D /  
RDV5100 / RDU2020D / RDU2080D hand-  
held radio*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 11.3 \* 5.32 \* 2.35



**AP-6574-Li / FTN6574**

*MTP-800 / 850 / CEP-400*

VOLTAGE: 3.7V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 7.80 \* 4.60 \* 1.47





**AP-8023-Li / NNTN8023B**

*MTP - 3000 / 3100 / 3150 / 3200 / 3250 / 3500 / 3550 / 6000 / 6550 / 6650 / 6750 / etc...*

VOLTAGE: 3.7V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 10.3 \* 5.1 \* 1.6



**AP-7395-H / NTN7395**

VISAR

VOLTAGE: 7.2V

CAPACITY: 1800 & 2000mAh

TYPE: Ni-Mh

DIMENSION: 10.3 \* 5.74 \* 2.46



**GP-2000-H / PMNN4052A**

*GP-2000 / P020 / P030 / 2150 / CP-125*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 11.50 \* 5.74 \* 2.2



**BT-90-K-PWR**

*CLP1010 / CLP1040 / CLP1060 / CLP446 / DLR1020 / DLR1060 / SL4000 / SL4000e / SL4010 / SL4010e / SL7000 / SL7000e / SL7550 / SL7550e / SL7580 / SL7580e / SL7590 / SL7590e / XPR7550*

VOLTAGE: 3.7V

CAPACITY: 1800mAh

TYPE: Li-Ion

DIMENSION: 5.35 \* 3.57 \* 0.96

# Icom Compatibility

---



# Highlights for Icom



## BP-265-Li

IC-V80 / IC-G80 / F3001 / F4001 / F3101 / F4101 / F3210 / F4210 / F4210D / F3210D / IC-F4103D Radios / IC-T70E

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 10.51 \* 5.87 \* 2.20



## BP-280-Li

IC-F1000 / 1000S / 1000T / IC-F2000 / 2000S / 2000T / IC-A16 / IC-F29SR2 / F29SDR / F29DR2

VOLTAGE: 7.2V

CAPACITY: 2400mAh

TYPE: Li-Ion

DIMENSION: 10.45 \* 5.2 \* 1.75



## BP-140-H

IC-F30 / F35 / F40 / F45

VOLTAGE: 7.2V

CAPACITY: 2100mAh

TYPE: Ni-Mh

DIMENSION: 10.68 \* 6.03 \* 2.20



## BP-160-H

IC-W21 / IC-X21 / IC-2 / 4GX / IC-3GX / IC-M10 / 40GX / F10 / F20

VOLTAGE: 7.2V

CAPACITY: 2200mAh

TYPE: Ni-Mh

DIMENSION: 5.30 \* 5.68 \* 3.76



## BP-166-H

IC-A3 / A3E / A22 / A22E

VOLTAGE: 12V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 7.37 \* 5.70 \* 3.50

### BP-180-H

*IC-W32 / T-22 / T42 / T7H*

VOLTAGE: 7.2V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 7.58 \* 5.63 \* 2.02



### BP-196-H

*IC-A4 / IC-F3 / F4 / IC-3FX / IC-T2H*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 13.53 \* 5.78 \* 2.20



### BP-210-H

*IC-F3GT / F4GT / F11 / F12 / F21 / F22 / F30 / F31 / F40 / F41 / IC-A6E / IC-A24E*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.07 \* 5.40 \* 2.60



### BP-217-Li

*IC-E90 / IC-T90A / etc*

VOLTAGE: 7.4V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 4.85 \* 5.80 \* 2.10



**BP-227-Li**

*IC-60 V / IC-E85 / IC-F50 / IC-F50 V / IC-F51 / IC-F60 / IC-F61 / IC-M87 / IC-M88 IC0 / ICF51 V / ICF61 V / ICV85*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.13 \* 5.64 \* 2.10



**BP-232-Li**

*IC-F14 / F16 / F24 / F25 / F26 / F33 / F43 / F34 / F43 / F44 / F16 / F26 / F33 / F43 / F3020 / F3060 / F4161 / F3021 / 3023 / ICF-3161 / 3262 / ICF-4021 / 4262-DT*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.13 \* 5.64 \* 2.10



**BP-252-Li**

*ICOM IC-M2A / IC-M21 / M31 / M32 / M33 / M34 / M35 / M36 / IC-M90 / M90E / IC-GM1600 / GM1600E*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 12.24\*5.82\*1.96



**BP-256-Li**

*IC-92AD / E92D / ID-92*

VOLTAGE: 7.4V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 6.25 \* 2.10 \* 4.98



**BP-272-Li**

*ID-31A / ID-31E / ID-51E / etc.  
IC-31A / IC-31E / IC-51A / IC-51E / IP-100-H / etc*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.68 \* 5.70 \* 1.50



**BP-279-Li**

*IC-F1000 / 1000S / 1000T / IC-F2000 / 2000S / 2000T / IC-A16 / IC-F29SR2 / F29SDR / F29DR2*

VOLTAGE: 7.2V

CAPACITY: 1500mAh

TYPE: Li-Ion

DIMENSION: 10.45 \* 5.2 \* 1.6

# Kenwood Compatibility

---





**KNB-12-H**

*TK-250 / TK-350 / TK-430 / TK-431*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 7.60 \* 5.80 \* 3.00



**KNB-14-H**

*TK-3101 / TK-2107 / TK-3107 / TK-260 / TK-360 /  
 TK-270 / TK-370 / TK-278 / TK-378*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 10.68 \* 6.03 \* 2.20



**KNB-15-H**

*TK260 / TK270 / TK360 / TK370 / TK272 /  
 TK372 / TK-3101*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 10.68 \* 6.03 \* 2.20



**KNB-17-H**

*TK-280 / TK-380 / TK-480 / TK-481 / TK-190 /  
 TK-180 / TK-280 / TK-290 / TK-390 / TK-5400  
 / TK-385*

VOLTAGE: 7.2V  
 CAPACITY: 2000mAh  
 TYPE: Ni-Mh  
 DIMENSION: 11.05 \* 5.84 \* 2.10



**KNB-29-H**

*TK-2200 / 2201 / 2202 / 2206 / 2207 / 2212  
 / 2217 / 2302 / 2306 / 2307 / 3200 / 3201 /  
 3202 / 3207 / 3217 / 3502 / 3301 / 3302 / 3307  
 / 3401 / etc*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 11.50 \* 5.45 \* 1.80



**KNB-33-Li**

*TK-2180 / TK-3180 / TK-5210 / 5310 / TK-5410 /  
 NX-210 / NX-410*

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 11.15 \* 5.40 \* 1.90



**KNB-45-Li**

TK-2200 / 2201 / 2202 / 2206 / 2207 / 2212 / 2217 / 2302 / 2306 / 2307 / 2312 / 3200 / 3201 / 3202 / 3207 / 3217 / 3312 / 3502 / 3301 / 3302 / 3307 / 3401D / TK-3701D / TK-D240 / TK-D340 / NX-1300DE3 / etc.

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 11.15 \* 5.40 \* 1.90



**KNB-57-Li**

TK-2140 / TK-2148 / TK-2160 / TK-2168 / TK-2170 / TK-3140 / TK-3148 / TK-3160 / TK-3168 / TK-3170 / TK-2360 / TK-3360 / NX-220 / NX-320 / NX-3200 / 3300 / 3220 / 3320

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 10.10 \* 5.59 \* 1.75



**KNB-63-Li**

TH-K20 / TH-K40 / TK-2000 / TK-3000 / TK-U100 / TK-3401 / TK-3501

VOLTAGE: 7.4V  
 CAPACITY: 1500mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.17 \* 5.37 \* 1.72



**KNB-71-Li**

Kenwood PKT-23K

VOLTAGE: 3.7V  
 CAPACITY: 1400mAh  
 TYPE: Li-Ion  
 DIMENSION: 5.5 \* 3.6 \* 0.95



**KNB-75-Li**

TH-D74E / TH-D74A

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.18 \* 5.62 \* 1.51



**KNB-81-Li**

KENWOOD NX-P500  
 KENWOOD TK-3601D

VOLTAGE: 3.7V  
 CAPACITY: 2270mAh  
 TYPE: Li-Ion  
 DIMENSION: 5.64 \* 3.44 \* 1.08



**PB-32-H**

*TH-22AT / 42AT / 79A / 208 / 308*

VOLTAGE: 6V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 6.28 \* 5.62 \* 1.83

**PB-34-H**

*TH-22 / TH-42 / TH-79*

VOLTAGE: 9.6V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 9.00 \* 5.59 \* 2.44

**PB-42-Li**

*TH-FTE / F6A / F7E*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.10 \* 5.80 \* 1.64

**PB-43-H**

*TH-K2 / K4*

VOLTAGE: 7.2V

CAPACITY: 1300mAh

TYPE: Ni-Mh

DIMENSION: 10.10 \* 5.81 \* 1.72

**UPB-1-H**

*UPB-2 / UPB-1 / 1H / UBZ-LF14 / UBZ-GM14 / UBZ-LF14FRS / UBZ-LH14*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 5.21 \* 4.55 \* 1.42

# Hytera Compatibility



**AP-75-NI-HYT**

*TC-446 / 500*

VOLTAGE: 6V  
CAPACITY: 1600mAh  
TYPE: Ni-Mh  
DIMENSION: 925 \* 5.36 \* 2.14



**AP-BH1801-NI-HYT**

*TC-700 / 780 / 710 / 700P / 780M*

VOLTAGE: 7.2V  
CAPACITY: 1800mAh  
TYPE: Ni-Mh  
DIMENSION: 11.02 \* 5.63 \* 2.27



**AP-BL2102-Li-HYT**

*TC-700P / 780 / 710 / 700P / 780M*

VOLTAGE: 7.4V  
CAPACITY: 2000mAh  
TYPE: Li-Ion  
DIMENSION: 11.02 \* 5.63 \* 2.27

**AP-BL2010-LI-HYT***PD-405 / 505 / 605 / 665 / 685*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.38 \* 5.22 \* 2.02

**AP-BL2001-Li-HYT***TC-610 / TC-618 / TC-620 / TC-626 / TC-610P  
/ Power-446*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 10.08 \* 5.22 \* 1.89

**AP-BL2006-LI-HYT**

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 10.62 \* 5.60 \* 1.84

**AP-BL2503-LI-HYT***PD-700 / 705 / 755 / 780 / 785 / 785G / 788G*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.56 \* 5.14 \* 2.22

# For Vertex / Yaesu

---





**SBR-24-LI**

*FT-70DE / FT2D*

VOLTAGE: 7.4V  
 CAPACITY: 1800mAh  
 TYPE: Li-Ion



**SBR-25-LI**

*FT-25 / 65R*


VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion



**FNB-12-H**

*FT-23 R / 33 R / 73R*

VOLTAGE: 12V  
 CAPACITY: 1100mAh  
 TYPE: Ni-Mh  
 DIMENSION: 8.19 \* 5.50 \* 3.24



**FNB-V-47-H**

*FT-10 / 40 / 41 / 50 / VX-10-V / 10U*

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 9.91 \* 5.66 \* 2.55



**FNB-52-Li**

*VX-1*

VOLTAGE: 3.7V  
 CAPACITY: 700mAh  
 TYPE: Li-Ion  
 DIMENSION: 6.77 \* 1.58 \* 1.85



**FNB-78-H**

*FT-897 YAESU*

VOLTAGE: 13.2V  
 CAPACITY: 4500mAh  
 TYPE: Ni-Mh  
 DIMENSION: 18.93 \* 9.20 \* 2.52



**FNB-V-67-Li**

VX-110 / 120 / 127 / 130 / 146 / 150 / 160 / 168 / 170 / 177 / 180 / FT60R / E / FT-120 / FT-250 / FT-270 / VX-210 / 246 / 400 / 410 / 414 / 417 / 418 / VX-420A / 424 / 427 / 428 / VX-800 / FT-60R / 250 / 250R / HX-270S / 370S / 500S / 600S / VXA-150 / 200 Aviator Pilot II / 210 / 220 Pro VI / 300 Pilot III / etc / FTA-230 / 310 / HX-270S / 370S / 500S / 600S / etc

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.48 \* 5.83 \* 1.83



**FNB-V-83-H**

VOLTAGE: 7.2V  
 CAPACITY: 1800mAh  
 TYPE: Ni-Mh  
 DIMENSION: 9.54 \* 6.04 \* 1.9



**FNB-80-Li**

VX-5R / VX-6R / VX-7R

VOLTAGE: 7.4V  
 CAPACITY: 1400mAh  
 TYPE: Li-Ion  
 DIMENSION: 4.85 \* 5.82 \* 2.05



**FNB-V87-Li**

VX- / 821 / 824 / 829 / 920 / 921 / 924 / 929 / 451 / 454 / 459

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.03 \* 5.50 \* 2.68



**FNB-V-96-Li**

VX-350 / 354 / 351 / 354U / 351U

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.95 \* 5.67 \* 2.20



**FNB-102-Li**

VX-8E / 8R / FT1DR / FT2D

VOLTAGE: 7.4V  
 CAPACITY: 2000mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.02 \* 5.80 \* 1.46



**FNB-104-Li**

*VX-230 / 231 / 241 / 228*

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 9.00 \* 5.70 \* 2.20



**FNB-V-106-H**

*VX-228 / 230 / 231 / 234 / 241 / 354*

VOLTAGE: 7.2V  
 CAPACITY: 1200mAh  
 TYPE: Ni-Mh  
 DIMENSION: 8.95 \* 6.07 \* 2.25



**FNB-V-113-Li**

*VX-450 / 451 / 454 / 459 - Caza VX-454*

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 10.37 \* 5.80 \* 2.37



**FNB-V-132-UNI**

*VX-231 / 241 / 228 / 230 / 234 / 350 / 351 / 354 / 359 / 451 / 454 / 459 X1 /  
 EVX-531 / 534 / 539 / etc*

VOLTAGE: 7.4V  
 CAPACITY: 2200mAh  
 TYPE: Li-Ion  
 DIMENSION: 8.06 \* 5.03 \* 1.09



Indicator of capacity

**FNB-V-134-Li-UNI**

*VX-260 / VX-261 / VX-264 / EVX-261 / VX-450 / VX-451 / VX-454 / VX-459 /  
 VX-530 / EVX-261 / 530 / 531 / 534 / 539 / Series UNI*

VOLTAGE: 7.4V / CAPACITY: 2600mAh  
 DIMENSION: 5.64 \* 3.53 \* 1.12  
 TYPE: Li-Ion  
 (with indicator of capacity)

# Other Brands

## For Sepura



### SRP-2000-Li

*SRC3300 / SRG3500 / SRH3500 / SRH3800  
/ SRH3900 / SRM3 / SRM3500 / SRP2000 /  
SRP3000*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.10 \* 5.75 \* 1.50



### STP-9000-Li

*SC2020 / SC2024 / SC20 / STP8000 / STP8020  
/ STP8030 / STP8035 / STP8038 / STP8040  
/ STP8080 / STP8100 / STP8200 / STP9000  
/ STP9035 / STP9038 / STP9040 / STP9080 /  
STP9100 / STP9200 / STS8000 / etc.*

VOLTAGE: 7.4V

CAPACITY: 1880mAh

TYPE: Li-Pol

DIMENSION: 7.5 \* 5.4 \* 1.8



### SRP-9100-H

*SRP-9120 / 9130*

VOLTAGE: 7.2V

CAPACITY: 2700mAh

TYPE: Ni-Mh

### SRP-9100-Li

*SRP-9120 / 9130*

VOLTAGE: 7.2V

CAPACITY: 3000mAh

TYPE: Li-Ion



## Hora / Rexon / Standard / Star Hunter



**BP-20-Li**

*RL-328*

VOLTAGE: 7.4V  
CAPACITY: 2200mAh  
TYPE: Li-Ion  
DIMENSION: 12.12 \* 5.49 \* 22



**CNB-152-H**

*Hora C-150 / C-158 / HX-240 / Alan-42 / Alan CT-180*

VOLTAGE: 12V  
CAPACITY: 1100mAh  
TYPE: Ni-Mh  
DIMENSION: 7.72 \* 5.56 \* 3.30



**CNB-152-SH**

VOLTAGE/CAPACITY: 12V/700mAh  
TYPE: Ni-Mh  
DIMENSION: 4.81 \* 5.55 \* 3.20

## Kirisun



**PNB-414-H**

*PA-4099 / PA-4010 / PA-2010 / PA2099 / PA4099 / PA-5499 / PA-6099 / C-112 / C-130 / C-412 / C-430 / H-112 / H-412*

VOLTAGE: 12V  
CAPACITY: 700mAh  
TYPE: Ni-Mh  
DIMENSION: 1.47 \* 5.44 \* 11



**PNB-417-H**

VOLTAGE: 12V  
CAPACITY: 1100mAh  
TYPE: Ni-Mh  
DIMENSION: 2.03 \* 5.56 \* 11



**KB-70-B**

*Kirisun PT700*

VOLTAGE: 7.4V  
CAPACITY: 1700mAh  
TYPE: Li-Ion

## Tait

### A-TOPB500-H

TAIT ORCA 5000 SERIES  
PANTHER 400 / 600 / 605

VOLTAGE: 7.2V

CAPACITY: 2200mAh

TYPE: Ni-Mh

DIMENSION: 11.76 \* 6.24 \* 2.35



## Puma



### PUMA

Radios PUMA

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 15.7 \* 5.6 \* 1.4

## Kyodo



### NH-1100-H

KG-209 / 309

VOLTAGE: 7.2V

CAPACITY: 1650 / 2200mAh

TYPE: Ni-Mh

DIMENSION: 6.50 \* 3.40 \* 5.65

## Midland / Alan



### LB-72-Li

MIDLAND CT-32 / CT-200 / CT-210 / CT-400 / CT-410 / CT-710 /  
Puxing: 777 / 728 / 888

VOLTAGE: 7.4V

CAPACITY: 1600mAh

TYPE: Li-Ion

DIMENSION: 9.14 \* 5.98 \* 1.78



### AP-0513-H

HP-446-EXTRA / SP-400 / HP-105/106 / 405 / 406 / HP-105 (BP-0518)

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.16 \* 5.94 \* 2.33



## Harris

### BT-003-H

VOLTAGE: 7.2V

CAPACITY: 2700mAh

TYPE: Ni-Mh

DIMENSION: 11.44 \* 6.18 \* 2.66

### BT-003-Li

VOLTAGE: 7.4V

CAPACITY: 2200, 2600/3400 mAh

TYPE: Li-Ion

DIMENSION: 11.44 \* 6.18 \* 2.66

P-5300 / 5370 / 5400 / 5450 / 5470 / 7300 /  
7350 / 7370

# Compatible Chargers

## Compatible chargers for Kenwood



### DSK-24

*KNB-14-H / 15-H*

Rapid Charger

Input: DC 15V / 700mA

Charging current: 700mA  $\pm$ 100mA

Constant Voltage: 6.0V $\pm$ 0.25V (Ni-MH)



### DSK-35

*TK-3201 / TK-3301 / TK-2301 / TK-2000 / TK-3000 / TH-K20 / TH-K40 / TK-3202 / KNB-45-Li*

Rapid Charger

Input: DC 12V / 1000mA

Constant Current: Output 640mA $\pm$ 40mA

Charger Voltage: 8.5V (Li-ion)



### DSK-KNB57

*KNB-57-Li / KNB-55-Li / KNB-24-Li / KNB-33-Li / KNB-35-Li / KNB-26-Li*

Rapid Charger

Input: DC 15V / 800mA

Output: DC 8.4V/1000mA (Li-ion)



### DSK-12-KNB57

*TK-2140 / 3140 / 2160 / 3160 / 2170 / 3170 / etc  
NX-220 / 320 / etc.*

- Trichemist -

Input: DC 15V / 800mA

Output: DC 8.4V/1000mA (Li-ion)

Other versions, please ask for

# Modular Charger System

## for Sepura STP-8000 / 9000 / SC2020 series

### DSK-STP9000

Suitable: STP8000 / 9000 / SC-2020 series



Innovative **modular system** that allows adding up to 6 slots.



You can combine our slots from 1 up to 6 units.  
1/2/3/4/5/6

### Accessories


Each single slot requires to add a power supply (not included\*\*).

- **DSK-STP9000-PSU-1:** 1.5 Amps for only 1 slot\*\*
- **DSK-STP9000-PSU-1/6:** 9.0 Amps for 2 up to 6 slots\*\*



### DSK-STP9000-PSU-1

Exclusive use for 1 single slot of our DSK-STP9000 charger



### DSK-STP9000-PSU-1/6

Exclusive use for 2 or more slots up to 6 of our DSK-STP9000 chargers

## Compatible chargers for Sepura

### DSK-SI-SRP9100

*SRP-8000 / 8030 / 9100 / 9120 / 9130*

- Trichemist -

VOLTAGE: 12V

CAPACITY: 1000mAh

DIMENSION: 9.91 \* 5.66 \* 2.55



## Compatible chargers for Vertex / Yaesu



### DSK-V-67

*FNB-V-67-Li*

Rapid Charger

Input: DC 15V / 800mA

Output: DC 8.4V / 1000mA (Li-Ion)



### DSK-V-83

*FNB-V-83-H / FNB-V-57-H / FNB-V64-H / FNB-V106-H / etc*

Rapid Charger

Input: DC 15V / 800mA

Output: DC 7.2V / 1000mA (Ni-Mh / Ni-CD)

## Compatible chargers for Motorola



### DSK-GP300

*AP-300-H*

Input: 15V / 800mA

Output: 8.4V / 1000mA (Li-ion)

Output: 7.2V / 1000mA (Ni-CD)



### DSK-GP320

*MNN-4024R / JMNN-4023R / HNN-9008 / 9009 / 9010 / 9012 / 9011 / 9013 / AP-318-Li / 328-Li*

- Trichemist -

Input: DC 15V / 800mA

Output: DC 8.4V / 1000mA (Li-ion)

Output: DC 7.2V/1000mA (Ni-MH / Ni-CD)



### DSK-4970

*AP-4970-L / AP-4497-LI (High Capacity) & AP-4851H*

Rapid Charger

- Trichemist -

Input: DC 15V / 800mA



### DSK-6-4970

*DP-1400 / CP-040 / 080 / 140 / 150 / 160 / 180 / 200 / PR400 / EP450 / GP3188 / 3688 / etc*

- Trichemist -

Input: DC 15V / 800mA

Other versions, please ask for

# Crane Batteries

---



## BA-205

*HBC FUB05AA / FUB05AA / FUB05XL / BA225030*

VOLTAGE: 6V

CAPACITY: 2200mAh

DIMENSION: 8.20 \* 5.65 \* 2.45



## BA-209

*HBC / FUB9NM / BA209000 / BA209060 / BA209061*

VOLTAGE: 6V

CAPACITY: 800mAh

DIMENSION: 5.73 \* 5.63 \* 1.75





### AP-BT-06K-4.8 / AP-BT-06-7.2

*BT06 / TM60 / TM61-TM62 / TM70 / TM70-1 / TM70-2*

VOLTAGE: 4.8V / 7.2V

CAPACITY: 1000mAh

DIMENSION: 71.0 \* 5.36 \* 1.99



### BA-210

*HBC FUB10AA / FUB10XL / FUB78AA / BA214061*

VOLTAGE: 2 x 6V

CAPACITY: 2200mAh

DIMENSION: 15.33 \* 5.65 \* 1.97



### BA-223

*HBC / BA223000 / BA223030*

VOLTAGE: 3.6V

CAPACITY: 2200mAh

DIMENSION: 6.05 \* 4.75 \* 1.80



### HE-520

*HETRONIC / NOVA ERGO / TYP 68300520*

VOLTAGE: 9.6V

CAPACITY: 750mAh

DIMENSION: 6.50 \* 5.99 \* 2.20



### HE-900

*HETRONIC MINI / FBH300 68300600 / 68300900*

VOLTAGE: 3.6V

CAPACITY: 2200mAh

DIMENSION: 5.53 \* 6.02 \* 2.20



### SR-001

*PALFINGER 590 / 960 / RC400 / SCABRECO: EFFER / FASSI / FBS590 / RC400 / 590 / 592 / 960 / HMF / MARREL 500 / CIFA*

VOLTAGE: 7.2V

CAPACITY: 2200mAh

DIMENSION: 15.05 \* 4.99 \* 2.85

## Clips Walkie-Talkies for Kenwood



**C-BC-29**

*KNB-29 / 30 / 45*

FOR KENWOOD



**C-BC-80**

*TK-2140 / 3140 / 2160 / 3160 / 2170 / 2360*

FOR KENWOOD



**C-BC-230**

*KNB-63 / 65*

FOR KENWOOD

## Clips Walkie-Talkies for Motorola



**C-AP-300**

*AP-300 / CP-040 / DP-1400 / 2000 / 2400 / 2600 / 3400 / 3600 / 4000 / 4600 / 4800 / 2400 / 2600 / 3400 / 3600 / 4000*

FOR MOTOROLA



**C-AP-4066**

*AP-4066-Li / AP-4065-H / AP-8023-Li*

FOR MOTOROLA



**C-AP-328**

*AP-328 / AP-318 / AP-8023*

FOR MOTOROLA

## Clips Walkie-Talkies for Icom & Vertex / Yaesu



**C-BP-210-H**

*BP-210*

FOR ICOM



**C-MB-133**

*IC-F1000 / 2000 / IC-F295R / IC-M25  
BP-280 / 278 / 279*

FOR ICOM



**C-FNB-47-H**

*FNB-V-47-H*

FOR VERTEX-YAESU

## Battery Holders



**BT-11**

*TH-671*

TYPE: 6 x AA  
FOR KENWOOD



**FBA-10**

*FT-23 / 411 / 470*

TYPE: 6 x AA  
FOR VERTEX-YAESU



---

Komunica Power Accessories S.L.

Ctra. de Castellar, 537,

Pol. Ind. Can Petit

08227 - Terrassa (BCN) - SPAIN

(+34) 93 884 35 07

info@komunicapower.com

OFFICIAL DEALER / DISTRIBUIDOR



Simarud Electronic AS

Regnbueveien 8 | 1405 Langhus

Tlf. 64918080 | post@simarud.no

www.simarud.no

The property of mentioned brands belongs to their respective owners and are used only to show the COMPATIBILITY of our accessories. All images contained in this catalogue are protected by copyright and belongs exclusively to Komunica Power Acc.S.L.

La propiedad de las marcas mencionadas pertenece únicamente a sus propietarios y se utiliza exclusivamente para mostrar la compatibilidad de nuestros accesorios. Todas las imágenes contenidas en este catálogo tienen Copyright y pertenecen exclusivamente a Komunica Power Accessories S.L.